

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (Currently Amended): A method suitable for use in a communication device for determining a the disposition of incoming e-mail from a sender, said method comprising the steps of:

determining a sender identifier based on establishing the identity of the sender to provide a sender identifier;

determining a cumulative penalty count value associated with said sender identifier, wherein determining said cumulative penalty count value comprises assessing a penalty count value to said sender identifier for an undesirable activity performed by the sender;

retrieving a system overall resource usage status associated with the communication device; and

processing the incoming e-mail on the basis of said cumulative penalty count value and said system overall resource usage status.

Claim 2 (Currently Amended): The method of claim 1 wherein said step of determining the sender identifier establishing the identity of the sender comprises the step of ascertaining an IP address for the sender.

Claim 3 (Currently Amended): The method of claim 1 wherein said step of determining the sender identifier establishing the identity of the sender comprises the step of associating the sender with a peer IP address of a the sender TCP connection associated with the sender.

Claim 4 (Cancelled)

Claim 5 (Previously Presented): The method of claim 1 wherein said cumulative penalty count value comprises an activity penalty count charged to the sender for current undesirable sender activity and a time-dependent penalty count determined from previous undesirable sender activity.

Application No.: 09/895,532
Amendment dated June 28, 2005
Reply to Office Action of March 28, 2005

Claim 6 (Original): The method of claim 5 wherein said time-dependent penalty count comprises a zero value subsequent to a pre-established retention period.

Claim 7 (Previously Presented): The method of claim 5 wherein said time-dependent penalty count comprises a prior activity penalty count value reduced by a time-dependent decay factor.

Claim 8 (Previously Presented): The method of claim 1 wherein said undesirable activity comprises a member of the group consisting of: sending a large number of e-mails, sending emails of relatively large sizes, using a relatively large amount of TCP connection time, and causing a TCP timeout.

Claim 9 (Previously Presented): The method of claim 1 wherein said system overall resource usage status is a function of a member of the group consisting of: the number of concurrent TCP connections being maintained, the number of e-mail files in an incoming message queue, and the amount of disk space being utilized for an incoming message queue.

Claim 10 (Previously Presented): The method of claim 1 wherein said step of processing the incoming e-mail comprises the step of assigning an operating state to the communication device, said operating state being a function of said system overall resource usage status.

Claim 11 (Original): The method of claim 10 wherein said operating state is a member of the group consisting of: a normal operating state, a selective-rejection operating state, and a random-rejection operating state.

Claim 12 (Original): The method of claim 11 wherein, for said selective-rejection state, if said cumulative penalty count value has a zero value, said step of processing the incoming e-mail comprises the step of accepting the incoming e-mail.

Claim 13 (Original): The method of claim 11 wherein, for said selective-rejection state, if said cumulative penalty count value has a nonzero value, said step of processing the incoming e-mail comprises the steps of:

- specifying a rejection factor;
- generating a random number; and
- randomly rejecting the incoming e-mail on the basis of said rejection factor and said random number.

Claim 14 (Original): The method of claim 13 wherein said step of randomly rejecting comprises the step of accepting the incoming e-mail if said random number is greater than said rejection factor and rejecting the incoming e-mail if said random number is not greater than said rejection factor.

Claim 15 (Currently Amended): The method of claim 13 wherein said step of specifying the rejection factor comprises determining a rejection factor value based on the ~~is increased if said system overall resource usage status increases and said rejection factor is decreased if said system overall resource usage status decreases.~~

Claim 16 (Original): The method of claim 11 wherein, for said random-rejection state, if said cumulative penalty count value has a nonzero value, said step of processing the incoming e-mail comprises the step of rejecting the incoming e-mail.

Claim 17 (Previously Presented): The method of claim 11 wherein, for said random-rejection state, if said cumulative penalty count value has a zero value, said step of processing the incoming e-mail comprises the steps of:

- deriving an overall resource usage factor;
- generating a random number; and
- randomly rejecting the incoming e-mail on the basis of said overall resource usage factor, said random number, and said cumulative penalty count value.

Application No.: 09/895,532
Amendment dated June 28, 2005
Reply to Office Action of March 28, 2005

Claim 18 (Previously Presented): The method of claim 17 wherein said step of randomly rejecting comprises the step of accepting the incoming e-mail if said random number is greater than a product of said overall resource usage factor and said cumulative penalty count value, and rejecting the incoming e-mail if said random number is not greater than said product of said overall resource usage factor and said cumulative penalty count value.

Claim 19 (Previously Presented): The method of claim 18 wherein said overall resource usage factor is increased if a system overall resource usage status increases and said resource usage factor is decreased if said system overall resource usage status decreases.

Claim 20 (Currently Amended): A communication device for determining a the disposition of incoming e-mail from a sender, said device comprising:

a penalty count filter module having

means for identifying the sender;

means for assigning a penalty count to the sender, said penalty count being a function of previous undesirable activity associated with the sender;

means for determining an overall resource usage value for said communication device in receiving e-mail;

means for specifying an operating state for penalty count filter module, said operating state being a function of said overall resource usage value; and

an accept/reject filter for disposing of the incoming e-mail on the basis of said sender penalty count and said operating state.

Claim 21 (Original): The device of claim 20 wherein said means for identifying the sender includes means for obtaining at least one of a Domain Name Service verification and a peer IP address of the sender TCP connection.

Claim 22 (Original): The device of claim 20 wherein said undesirable activity comprises a member of the group consisting of: sending a large number of e-mails, sending e-mails of relatively large sizes, using a relatively large amount of TCP connection time, and causing a TCP timeout.

Claim 23 (Previously Presented): The device of claim 20 wherein said overall resource usage value is a function of a member of the group consisting of: the number of concurrent TCP connections being maintained, the number of e-mail files in an incoming message queue, and the amount of disk space being utilized for an incoming message queue.

Claim 24 (Currently Amended): A communication device for determining a the disposition of incoming e-mail from a sender, said device comprising:

- a sender penalty count data structure for storing a current penalty count value associated with the sender, wherein said current penalty count value is based at least in part on previous undesirable activity performed by the sender;
- a system resource usage status file for storing a current usage status value for device e-mail processing resources; and
- an accept/reject filter for disposing of the incoming e-mail on the basis of said penalty count value and said usage status.

Claim 25 (Original): The device of claim 24 wherein said sender penalty count data structure includes an entry comprising a member of the group consisting of: a sender identification value, a cumulative penalty count value, a cumulative e-mail count, a total e-mail size, a total TCP connection time, and a timestamp value.

Application No.: 09/895,532
Amendment dated June 28, 2005
Reply to Office Action of March 28, 2005

Claim 26 (Currently Amended): A method suitable for use in a communication device for determining a ~~the~~ disposition of incoming e-mail from a sender, said method comprising the steps of:

identifying the e-mail sender by determining a sender IP address;
obtaining a previous sender penalty count value calculated for said sender IP address, wherein said previous sender penalty count value is based at least in part on previous undesirable activity performed by the sender; and
accepting or rejecting the incoming e-mail based on said previous sender penalty count value.

Claim 27 (Original): The method of claim 26 further comprising the steps of:
maintaining a behavior trace table entry for the e-mail sender; and
determining said previous sender penalty count from said behavior trace table.

Claim 28 (Original): The method of claim 27 further comprising the step of updating sender behavior values in said trace table entry in response to receipt of a sender e-mail.

Claim 29 (Previously Presented): The method of claim 28 wherein said sender behavior values include a member of the group consisting of: the number of e-mails, the total size of e-mails, and the total TCP connection time.

Claim 30 (Previously Presented): The method of claim 28 wherein said step of updating sender behavior values comprises the steps of:

reducing said behavior trace table value by a time-dependent decay factor; and
adding a current behavior trace table value to said corresponding reduced behavior trace table value.

Claim 31 (Previously Presented): The method of claim 30 wherein said time-dependent decay factor is a function of the time interval between the last two updates of said behavior trace table entry and a pre-established retention period.

Claim 32 (Previously Presented): The method of claim 26 wherein said previous sender penalty count value is determined from undesirable sender activity occurring over a pre-established retention period.

Claim 33 (Original): The method of claim 32 wherein said undesirable activity comprises a member of the group consisting of: sending a large number of e-mails, sending e-mails of relatively large sizes, using a relatively large amount of TCP connection time, and causing a TCP timeout.

Claim 34 (Previously Presented): The method of claim 26 further comprising the step of updating said previous sender penalty count value.

Claim 35 (Previously Presented): The method of claim 34 wherein said step of updating said previous sender penalty count value comprises the steps of:

- reducing said previous sender penalty count value by a decay factor to yield a reduced sender penalty count value, said decay factor being a function of a pre-established retention period; and
- adding an activity penalty count value to said reduced sender penalty count value to yield an updated sender penalty count value, said activity penalty count value calculated as a function of current sender e-mail activities.

Claim 36 (Previously Presented): The method of claim 35 wherein said decay factor is further a function of the time interval between calculation of said previous sender penalty count value and calculation of said activity penalty count value.

Application No.: 09/895,532
Amendment dated June 28, 2005
Reply to Office Action of March 28, 2005

Claim 37 (Currently Amended): A method for a communication device for determining a the-disposition of incoming e-mail from a sender, said method comprising steps of:

establishing an identity of the sender;
determining a cumulative penalty count value associated with said identity,
wherein said cumulative penalty count value is based at least in part on
previous undesirable activity performed by the sender;
retrieving a system overall resource usage status associated with the
communication device; and
processing the incoming e-mail based on the cumulative penalty count value and
the system overall resource usage status.

Claim 38 (Previously Presented): The method of claim 37, wherein said step of establishing the identity of the sender comprises the step of ascertaining an IP address of the sender.

Claim 39 (Cancelled)

Claim 40 (Previously Presented): The method of claim 37, wherein said cumulative penalty count value comprises a prior penalty count value reduced by a time-dependent decay factor.

Claim 41 (Previously Presented): The method of claim 37 wherein said step of processing the incoming e-mail comprises the step of assigning an operating state to the communication device, said operating state being a function of said system overall resource usage status.

Claim 42 (Previously Presented): The method of claim 41 wherein said operating state is a member of the group consisting of: a normal operating state, a selective-rejection operating sate, and a random-rejection operating state.

Claim 43 (Previously Presented): The method of claim 41, wherein said operating state comprises a selective-rejection state, and wherein if said cumulative penalty count value has a zero value, said step of processing the incoming e-mail comprises the step of accepting the incoming e-mail.

Claim 44 (Previously Presented): The method of claim 41 wherein said operating state comprises a selective-rejection state, and wherein if said cumulative penalty count value has a nonzero value, said step of processing the incoming e-mail comprises the steps of:

specifying a rejection factor;

generating a random number; and

randomly rejecting the incoming e-mail on the basis of said rejection factor and said random number.

Claim 45 (Previously Presented): The method of claim 44 wherein said step of randomly rejecting comprises the step of accepting the incoming e-mail if said random number is greater than said rejection factor and rejecting the incoming e-mail if said random number is not greater than said rejection factor.

Claim 46 (Previously Presented): The method of claim 44 wherein said rejection factor is increased if said system overall resource usage status increases and said rejection factor is decreased if said system overall resource usage status decreases.

Claim 47 (Previously Presented): The method of claim 41 wherein said operating state comprises a random-rejection state, and wherein if said cumulative penalty count value has a nonzero value, said step of processing the incoming e-mail comprises the step of rejecting the incoming e-mail.

Application No.: 09/895,532
Amendment dated June 28, 2005
Reply to Office Action of March 28, 2005

Claim 48 (Previously Presented): The method of claim 41 wherein said operating state comprises a random-rejection state, and wherein if said cumulative penalty count value has a zero value, said step of processing the incoming e-mail comprises the steps of:

deriving a resource usage factor;

generating a random number; and

randomly rejecting the incoming e-mail on the basis of said resource usage factor, said random number, and said cumulative penalty count value.

Claim 49 (Previously Presented): The method of claim 48 wherein said step of randomly rejecting comprises the step of accepting the incoming e-mail if said random number is greater than a product of said resource usage factor and said cumulative penalty count value, and rejecting the incoming e-mail if said random number is not greater than said product of said resource usage factor and said cumulative penalty count value.

Claim 50 (Previously Presented): The method of claim 49 wherein said resource usage factor is increased if said system overall resource usage status increases and said resource usage factor is decreased if said system overall resource usage status decreases.